

**Amendments to the Claims**

---

Claim 1 (original): A moist wax-impregnated towelette comprising a substantially low-lint fabric sheet substantially uniformly impregnated with an aqueous silicone-based car wax emulsion comprising a silicone oil, an amino functional silicone, a wax, isopropanol, a nonionic emulsifier, a cationic emulsifier, an antistatic agent and a silicone polyether wetting agent.

Claim 2 (original): The wax-impregnated towelette of claim 1 wherein the fabric sheet comprises melt-blown polypropylene.

Claim 3 (currently amended): A moist wax-impregnated towelette comprising a substantially low-lint fabric sheet substantially uniformly impregnated with an aqueous silicone-based car wax emulsion comprising a silicone oil, an amino functional silicone, a wax, isopropanol, a nonionic emulsifier, a cationic emulsifier, an antistatic agent and a silicone polyether wetting agent. ~~The wax-impregnated towelette of claim 1~~ wherein the fabric sheet is impregnated with an amount of aqueous silicone-based car wax emulsion in the range of about 30 to about 170 grams of emulsion per square meter of fabric.

Claim 4 (original): The wax-impregnated towelette of claim 3 wherein the fabric sheet is impregnated with an amount of aqueous silicone-based car wax emulsion in an amount of about 140 grams of emulsion per square meter of fabric.

Claim 5 (currently amended): The wax-impregnated towelette of claim 3 ~~claim 1~~ wherein the aqueous silicone-based car wax emulsion comprises about 90 to about 97 weight percent water.

Claim 6 (original): A wax-impregnated towelette comprising a substantially low-lint fabric sheet impregnated with an aqueous silicone-based car wax emulsion comprising:

- a) about 1 to about 5 weight percent isopropanol;
- b) about 0.5 to about 1 weight percent silicone oil;
- c) about 0.01 to about 1 weight percent amino-functional silicone;
- d) about 0.001 to about 0.15 weight percent wax;
- e) about 0.05 to about 0.15 weight percent cationic emulsifier;
- f) about 0.01 to about 0.08 weight percent of a nonionic emulsifier;

- g) about 0.01 to about 0.1 weight percent antistatic agent; and
- h) about 0.05 to about 0.5 weight percent silicone polyether wetting agent.

Claim 7 (original): The wax-impregnated towelette of claim 6 wherein the fabric sheet comprises melt-blown polypropylene.

Claim 8 (currently amended): A wax-impregnated towelette comprising a substantially low-lint fabric sheet impregnated with an aqueous silicone-based car wax emulsion comprising:

- a) about 1 to about 5 weight percent isopropanol;
- b) about 0.5 to about 1 weight percent silicone oil;
- c) about 0.01 to about 1 weight percent amino-functional silicone;
- d) about 0.001 to about 0.15 weight percent wax;
- e) about 0.05 to about 0.15 weight percent cationic emulsifier;
- f) about 0.01 to about 0.08 weight percent of a nonionic emulsifier;
- g) about 0.01 to about 0.1 weight percent antistatic agent; and
- h) about 0.05 to about 0.5 weight percent silicone polyether wetting agent.

*a*  
The wax-impregnated towelette of claim 6 wherein the fabric sheet is impregnated with an amount of aqueous silicone-based car wax emulsion in the range of about 30 to about 170 grams of emulsion per square meter of fabric.


Claim 9 (original): The wax-impregnated towelette of claim 8 wherein the low-lint fabric sheet is impregnated with an amount of aqueous silicone-based car wax emulsion in an amount of about 140 grams of emulsion per square meter of fabric.

Claim 10 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the silicone oil is a polydimethylsiloxane having a viscosity in the range of about 10 to about 60,000 centistokes.


Claim 11 (original): The wax-impregnated towelette of claim 10 wherein the silicone oil is a polydimethylsiloxane having a viscosity in the range of about 10 to about 5000 centistokes.

Claim 12 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the silicone oil is a polydimethylsiloxane having a viscosity in the range of about 10 to about 1000 centistokes.

Claim 13 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the amino-functional silicone is a polymer comprising repeating units represented by the general formula:



wherein Q represents the radicals:



*a!* R is C<sub>1</sub> - C<sub>18</sub> alkyl or C<sub>6</sub> - C<sub>10</sub> aryl; R' represents hydrogen or monovalent hydrocarbon radicals having 1 to about 18 carbon atoms; R'' is a substituted or unsubstituted divalent C<sub>1</sub> - C<sub>18</sub> hydrocarbon radical, a substituted or unsubstituted divalent alkyleneoxy group in which the oxygen provides an ether linkage, or an unsaturated divalent C<sub>4</sub> - C<sub>18</sub> hydrocarbon radical; p is number having a value in the range of about 1 to about 2; q is a number having value in the range of about 1 to about 2000; and y is a number having value in the range of about 0 to about 2000; with the proviso that the sum of q and y is at least about 15.

Claim 14 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the wax is selected from the group consisting of a vegetable wax, a mineral wax, an animal wax, a silicone wax, and a mixture thereof.

Claim 15 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the cationic surfactant is selected from the group consisting of an amine, an aliphatic or rosin amine ethoxylate, an amidoamine, a quaternary ammonium salt, and a mixture thereof.

Claim 16 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the silicone polyether wetting agent is a block copolymer of polyalkylene oxide and polydimethylsiloxane.

Claim 17 (original): The wax-impregnated towelette of claim 16 wherein the polyalkylene oxide is polyethylene oxide.

Claim 18 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the silicone oil and the amino-functional silicone are present in the aqueous silicone-based car wax emulsion in a weight ratio in the range of about 1:1 to about 10:1.

Claim 19 (original): The wax-impregnated towelette of claim 18 wherein the weight ratio of silicone oil to amino-functional silicone is about 6:1

Claim 20 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the silicone oil and the silicone polyether wetting agent are present in the aqueous silicone-based car wax emulsion in a weight ratio in the range of about 2:1 to about 5:1.

Claim 21 (original): The wax-impregnated towelette of claim 20 wherein the weight ratio of silicone oil to silicone polyether wetting agent is about 3:1.

Claim 22 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the silicone oil and the cationic emulsifier are present in the aqueous silicone-based car wax emulsion in a weight ratio in the range of about 5:1 to about 10:1.

Claim 23 (original): The wax-impregnated towelette of claim 22 wherein the weight ratio of silicone oil to cationic emulsifier is about 8:1.

Claim 24 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the silicone oil and the nonionic emulsifier are present in the aqueous silicone-based car wax emulsion in a weight ratio in the range of about 10:1 to about 30:1.

Claim 25 (original): The wax-impregnated towelette of claim 24 wherein the weight ratio of silicone oil to nonionic emulsifier is about 20:1.

Claim 26 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the aqueous silicone-based car wax emulsion has a water content of about 90 to about 97 weight percent.

Claim 27 (currently amended): The wax-impregnated towelette of claim 8 ~~claim 6~~ wherein the aqueous silicone-based car wax emulsion further comprises up to about 15 weight percent of additional components selected from the group consisting of neutralizing agents, UV absorbers, solvents, preservatives, fragrances, anti-foaming agents and polishing agents.

Claim 28 (currently amended): An article of manufacture comprising a moist wax-impregnated towelette in packaged form, wherein the wax-impregnated towelette

comprises a low-lint fabric sheet impregnated with an aqueous silicone-based car wax emulsion comprising a silicone oil, an amino-functional silicone, a wax, isopropanol, a nonionic emulsifier, a cationic emulsifier, an antistatic agent and a silicone polyether wetting agent, and wherein the fabric sheet is impregnated with an amount of said aqueous silicone-based car wax emulsion in the range of about 30 to about 170 grams of emulsion per square meter of fabric.

Claim 29 (original): The article of manufacture of claim 28 wherein an individual moist wax-impregnated towelette is packaged in a single-use, substantially hermetically-sealed, disposable pouch.

a' Claim 30 (original): The article of manufacture of claim 28 wherein a plurality of moist wax-impregnated towelettes are packaged in a re-sealable, moisture-tight, dispensing container.

Claim 31 (original): The article of manufacture of claim 28 comprising a continuous roll of low-lint fabric impregnated with an aqueous silicone-based car wax emulsion comprising a silicone oil, an amino-functional silicone, a wax, isopropanol, a nonionic emulsifier, a cationic emulsifier, an antistatic agent and a silicone polyether wetting agent, packaged in a re-sealable dispensing container.

Claim 32 (original): The article of manufacture of claim 31 wherein the dispensing container comprises a cutting aid adapted for cutting portions of the roll into individual sheets.

Claim 33 (original): The article of manufacture of claim 31 wherein the continuous roll is perforated across the width of the role at regular intervals along the length of the roll.

---